

References

Abbie AA (1939) The origin of the corpus callosum and the fate of the structures related to it. *J. Comp. Neurol.*, 70, 9-44.

Acirón EE (1950) Contribucion al estudio de la morfogenesis del cerebelo. Fisuración del cerebelo en la rata blanca (*Epimys norvegicus*). *Arqu. Anat. Antrop. (Lisboa)*, 27, 215-261.

Adelmann HB (1922) The significance of the prechordal plate: an interpretative study. *Am. J. Anat.*, 31, 55-92.

Adelmann HB (1925) The development of the neural folds and cranial ganglia of the rat. *J. Comp. Neurol.*, 39, 19-172.

Adelmann HB (1936a) The problem of cyclopia. Part I. *Quar. Rev. Biol.*, 11, 161-182.

Adelmann HB (1936b) The problem of cyclopia. Part II. *Quar. Rev. Biol.*, 11, 284-304.

Altman J, Bayer SA (1979a) Development of the diencephalon in the rat. IV. Quantitative study of the time of origin of neurons and the internuclear chronological gradients in the thalamus. *J. Comp. Neurol.*, 188, 455-472.

Altman J, Bayer SA (1979b) Development of the diencephalon in the rat. V. Thymidine-radiographic observations on internuclear and intranuclear gradients in the thalamus. *J. Comp. Neurol.*, 188, 473-500.

Altman J, Bayer SA (1979c) Development of the diencephalon in the rat. VI. Re-evaluation of the embryonic development of the thalamus on the basis of thymidine-radiographic datings. *J. Comp. Neurol.*, 188, 501-524.

Altman J, Bayer SA (1982) Development of the cranial nerve ganglia and related nuclei in the

rat. *Adv. Anat. Embryol. Cell Biol.*, 74, 1-87.

Altman J, Bayer SA (1984) The development of the rat spinal cord. *Adv. Anat. Embryol. Cell Biol.*, 85, 1-166.

Altman J, Bayer SA (1986) The development of the hypothalamus. In: *Advances in Anatomy, Embryology and Cell Biology, Vol. 100*. Springer-Verlag, Berlin.

Alvarez IS, Schoenwolf GC (1991) Patterns of neuroepithelial cell rearrangement during avian neurulation are determined prior to notochordal inductive interactions. *Devel. Biol.*, 143, 78-92.

Alvarez-Bolado G, Rosenfeld G, Swanson LW (1995) Model of forebrain regionalization based on spatiotemporal patterns of POU-III homeobox gene expression, birthdates, and morphological features. *J. Comp. Neurol.*, 355, 237-295.

Angevine JB (1965) Time of neuron origin in the hippocampal region: An autoradiographic study in the mouse. *Exp. Neurol. Suppl.* 2, 1-70.

Angevine JB (1970) Time of neuron origin in the diencephalon of the mouse. *J. Comp. Neurol.*, 139, 129-188.

Baer KE von (1828) *Entwicklungsgeschichte der Thiere: Beobachtung und Reflexion*. Königsberg, Bornträger.

Bartelmez GW (1923) The subdivisions of the neural folds in man. *J. Comp. Neurol.*, 35, 231-247.

Bartelmez GW (1962) The proliferation of neural crest from forebrain levels in the rat. *Cont. Embryol. Carnegie Inst.*, 37, 1-12.

Bayer SA (1980) Development of the hippocampal region in the rat. I. Neurogenesis examined

with [³H]thymidine autoradiography. *J. Comp. Neurol.*, 190, 87-114.

Bayer SA, Altman J (1991) *Neocortical Development*. Raven Press, New York.

Bengmark S, Hugosson R, Källén B (1953) Studien über Kernanlagen im Mesencephalon sowie im Rostralteil des Rhombencephalon von *Mus musculus*. *Zeit. Anat. Entwickl.*, 117, 73-91.

Bergquist H (1952) Studies on the cerebral tube in vertebrates. The neuromeres. *Acta Zool.*, 33, 117-187.

Bergquist H, Källén B (1954) Notes on the early histogenesis and morphogenesis of the central nervous system in vertebrates. *J. Comp. Neurol.*, 100, 627-659.

Bourrat F, Sotelo C (1990a) Early development of the rat precerebellar system: migratory routes, selective aggregation and neuritic differentiation of the inferior olive and lateral reticular nucleus neurons. An overview. *Arch. Ital. Biol.*, 128, 151-170.

Bourrat F, Sotelo C (1990b) Migratory pathways and selective aggregation of the lateral reticular neurons in the rat embryo: A horseradish peroxidase in vitro study, with special reference to migration patterns of the precerebellar nuclei. *J. Comp. Neurol.*, 294, 1-13.

Brodmann K (1909) *Vergleichende Localisationslehre der Grosshirnrinde in ihren Prinzipien dargestellt auf Grund des Zellenbaues*. Barth, Leipzig.

Burckhardt R (1894) Ueber den Bauplan des Gehirns. *Anat. Anz., Suppl. Ad 9*, 159-162.

Burr HS (1916) The effects of the removal of the nasal pits in *Amblystoma* embryos. *J. Exp. Zool.*, 20, 27-57.

Burr HS (1924) Some experiments on the transplantation of the olfactory placode in *Amblystoma*. I. An experimentally produced aberrant cranial nerve. *J. Comp. Neurol.*, 37, 455-

479.

Butcher EO (1929) The development of the somites in the white rat (*Mus Norvegicus albinus*) and the fate of the myotomes, neural tube, and gut in the tail. *Am. J. Anat.*, 44, 381-439.

Cajal SR (1894) *Les nouvelles idées sur la structure du système nerveux chez l'homme et chez les vertébrés*. Reinwald, Paris. See English translation by Swanson N, Swanson LW (1990) *New Ideas on the Structure of the Nervous System in Man and Vertebrates*. MIT, Cambridge.

Cajal SR (1909-11) *Histologie du système nerveux de l'homme et des vertébrés*. Maloine, Paris. See English translation by Swanson N, Swanson LW (1995) *Histology of the Nervous System of Man and Vertebrates*. Oxford University Press, New York.

Carpenter MB, Sutin J (1983) *Human Neuroanatomy, 8th ed.* Williams & Wilkins, Baltimore.

Christie GA (1964) Developmental stages in somite and post-somite rat embryos, based on external appearance, and including some features of the macroscopic development of the oral cavity. *J. Morph.*, 114, 263-286.

Cobas A, Fairén A, Alvarez-Bolado G, Sánchez MP (1991) Prenatal development of the intrinsic neurons of the rat neocortex: A comparative study of the distribution of GABA-immunoreactive cells and the GABAA receptor. *Neuroscience*, 40, 375-397.

Coggeshall RE (1964) A study of diencephalic development in the albino rat. *J. Comp. Neurol.*, 122, 241-270.

Couly GF, Le Douarin NM (1985) Mapping of the early neural primordium in quail-chick chimeras. I. Developmental relationships between placodes, facial ectoderm, and prosencephalon. *Devel. Biol.*, 110, 422-439.

Couly GF, Le Douarin NM (1990) Head morphogenesis in embryonic avian chimeras: Evidence

for a segmental pattern in the ectoderm corresponding to the neuromeres. *Devel.*, 108, 543-558.

Cowan WM (1978) Aspects of neural development. *Int. Rev. Physiol.*, 17, 149-191.

Droogleever Fortuyn AB (1912) Die Ontogenie der Kerne des Zwischenhirns beim Kaninchen. *Arch. Anat. Physiol. Abt. Anat.*, 36, 303-352.

Drury HA, Van Essen DC, Anderson CH, Lee CW, Coogan TA, Lewis JW (1996) Computerized mappings of the cerebral cortex: A multiresolution flattening method and a surface-based coordinate system. *J. Cog. Neurosci.*, 8, 1-28.

Dryer L, Graziadei PPC (1994) Influence of the olfactory organ on brain development. *Persp. Dev. Neurobiol.*, 2, 163-174.

Eckenhoff MF, Rakic P (1984) Radial organization of the hippocampal dentate gyrus: A Golgi, ultrastructural and immunocytochemical analysis in the developing rhesus monkey. *J. Comp. Neurol.*, 223, 1-21.

Fabricius (1603) *De venarum ostiolis*. Pasquati, Padua.

Fukiishi Y, Morriss-Kay GM (1992) Migration of cranial neural crest cells to the pharyngeal arches and heart in rat embryos. *Cell Tiss. Res.*, 268, 1-8.

Gilbert MS (1934) The early development of the human diencephalon. *J. Comp. Neurol.*, 62, 81-116.

Gilbert SF, Saxén L (1993) Spemann's organizer: Models and molecules. *Mech. Dev.*, 41, 73-89.

Gilland E, Baker R (1993) Conservation of neuroepithelial and mesodermal segments in the embryonic vertebrate head. *Acta Anat.*, 148, 110-123.

Gillilan LA (1943) The nuclear pattern of the non-tectal portions of the midbrain and isthmus in rodents. *J. Comp. Neurol.*, 78, 213-251.

Grapinbotton A, Bonnin MA, McNaughton LA, Krumlauf A, Le Douarin NM (1995) Plasticity of transposed rhombomeres: Hox gene induction is correlated with phenotypic modifications. *Development*, 121, 2707-2721.

Grönberg G (1901) Die Ontogenese eines niedern Säugergehirns nach Untersuchungen an *Erinaceus europeus*. *Zool. Jahrb. Anat. Abt.*, 15, 261-384.

Guthrie S, Lumsden A (1991) Formation and regeneration of rhombomere boundaries in the developing chick hindbrain. *Development*, 112, 221-229.

Hall BK (1988) *The Neural Crest*. Oxford University Press, New York.

Hamilton WJ, Mossman HW (1972) *Human Embryology. Prenatal Development of Form and Function*, 4th ed. Williams & Williams, Baltimore.

Harkmark W (1954) Cell migrations from the rhombic lip to the inferior olive, the nucleus raphe and the pons. A morphological and experimental investigation on chick embryos. *J. Comp. Neurol.*, 100, 115-209.

Harvey W (1628) *Exercitatio anatomica de motu cordis et sanguinis in animalibus*. Fitzeri, Frankfort.

Herrick CJ (1910) The morphology of the forebrain in amphibia and reptilia. *J. Comp. Neurol.*, 20, 413-547.

Herrick CJ (1948) *The Brain of the Tiger Salamander*. University of Chicago Press, Chicago.

Hinds JW (1968a) Autoradiographic study of histogenesis in the mouse olfactory bulb. I. Time of origin of neurons and neuroglia. *J. Comp. Neurol.*, 134, 287-304.

Hinds JW (1968b) Autoradiographic study of histogenesis in the mouse olfactory bulb. II. Cell proliferation and migration. *J. Comp. Neurol.*, 134, 305-321.

Hines M (1922) Studies in the growth and differentiation of the telencephalon in man. The fissura hippocampi. *J. Comp. Neurol.*, 34, 73-171.

His W (1887) Zur Geschichte des menschlichen Rückenmarks und der Nervenwurzeln. *Abh. Kgl. Sächs. Ges. Wissensch. Math. Phys. Kl.*, 13, 479-513.

His W (1888) Zur Geschichte des Gehirns sowie der centralen und peripherischen Nervenbahnen beim menschlichen Embryo. *Abh. d. Math.-phys. Kl. d. Königl. Sächs. Gesel. d. Wiss.*, 14, 341-392.

His W (1890) Die Entwicklung des menschlichen Rautenhirns vom Ende des ersten bis zum Beginn des dritten Monats. I. Verlangertes Mark. *Abh. Sächs Ges. (Akad.) Wiss.*, 29, 1-74.

His W (1895) Die anatomische Nomenclatur. Nomina anatomica. *Arch. Anat. Physiol. (Abt. Anat. EntwGesch., suppl)*, 1-180.

Hochstetter F (1919, 1929) *Beiträge zur Entwicklungsgeschichte des menschlichen Gehirns*. Deuticke, Vienna.

Hoving EW, Vermeij-Keers C, Mommaas-Kienhuis AM, Hartwig NG (1990) Separation of neural and surface ectoderm after closure of the rostral neuropore. *Anat. Embryol.*, 182, 455-463.

Huber GC (1915) The development of the albino rat, *Mus Norvegicus albinus*. I. From the pronuclear stage to the stage of mesoderm anlage; end of the first to the end of the ninth day. *J.*

Morph., 26, 1-114.

Humphrey T (1966) Correlations between the development of the hippocampal formation and the differentiation of the olfactory bulbs. *Ala. J. Med. Sci.*, 3, 235-269.

Huxley, TH (1871) *The Anatomy of the Vertebrated Animals*. Churchill, London.

Iffa-Credo (1987) *Laboratory Animals*. Edico Publicis-ATL, France.

Ifft JD (1971) An autoradiographic study of the time of final division of neurons in rat hypothalamic nuclei. *J. Comp. Neurol.*, 144, 193-204.

Jacobson AG, Tam PPL (1982) Cephalic neurulation in the mouse embryo analyzed by SEM and morphometry. *Anat. Rec.*, 203, 375-396.

Jacobson, M (1991) *Developmental Neurobiology*, 3rd. ed. Plenum, New York.

Johnston JB (1909) The morphology of the forebrain vesicle in vertebrates. *J. Comp. Neurol. Psychol.*, 19, 437-539.

Jurand A (1974) Some aspects of the development of the notochord in mouse embryos. *J. Embryol. Exp. Morph.*, 32, 1-33.

Kahle W (1956) Zur Entwicklung des menschlichen Zwischenhirnes: Studien ueber die Matrixphasen und die örtlichen Reifungsunterschiede im embryonalen menschlichen Gehirn: II. Mitteilung. *Deutsche Z. Nervenheilkd.*, 175, 259-318.

Källén B (1952) On the development of the neural groove in *Mus Musculus* v. *Albina*. *Kungl. Fysiogr. Sällsk. Förhandl.*, 22, 36-40.

Källén B (1956) Contribution to the knowledge of the regulation of the proliferation processes in

the vertebrate brain during ontogenesis. *Acta anat.*, 27, 351-360.

Källén B, Lindskog B (1953) Formation and disappearance of neuromery in *Mus Musculus*. *Acta anat.*, 18, 273-282.

Kappers J Ariëns (1955) The development of the paraphysis cerebri in man with comments on its relationship to the intercolumnar tubercle and its significance for the origin of cystic tumors in the third ventricle. *J. Comp. Neurol.*, 102, 425-509.

Kaufman MH (1990) Morphological stages of postimplantation embryonic development. In: Copp, AJ, Cockroft, DL (Eds.), *Postimplantation Mammalian Embryos: A Practical Approach*, pp. 81-91. IRL Press, Oxford.

Kawano H, Ohyama K, Kawamura K, Nagatsu I (1995) Migration of dopaminergic neurons in the embryonic mesencephalon of mice. *Dev. Brain Res.*, 86, 101-113.

Keynes R, Lumsden A (1990) Segmentation and the origin of regional diversity in the vertebrate central nervous system. *Neuron*, 2, 1-9.

Keyser AJM (1972) The development of the diencephalon of the Chinese hamster. *Acta Anat.*, 83, Suppl. 59, 1-178.

Kingsbury BF (1934) The development of the septum medullae (mammals: cat). *J. Comp. Neurol.*, 60, 81-109.

Kishi K (1987) Golgi studies on the development of granule cells of the rat olfactory bulb with reference to migration in the subependymal layer. *J. Comp. Neurol.*, 258, 112-124.

Kostovic I, Molliver ME (1974) A new interpretation of the laminar development of cerebral cortex: Synaptogenesis in different layers of the neopallium in the human fetus. *Anat. Rec.*, 178, 395.

Kuhlenbeck H (1929) Die Grundbestandteile des Endhirns im Lichte der Bauplanlehre. *Anat. Anz.*, 70, 122-142.

Kuhlenbeck H (1948) The derivatives of the thalamus ventralis in the human brain and their relation to the so-called subthalamus. *Military Surg.*, 102, 433-447.

Kuhlenbeck H (1951) The derivatives of the thalamus dorsalis and epithalamus in the human brain: Their relation to cortical and other centers. *Military Surg.*, 108, 205-256.

Kupffer C von (1906) Die Morphogenie des Centralnervensystems. In: Hertwig O (Ed.), *Handbuch der vergleichenden und experimentellen Entwicklungslehre der Wirbeltiere*, Bd. 2, Teil 3. Gustav Fischer, Jena.

Lammers GJ, Gribnau AAM, ten Donkelaar HJ (1980) Neurogenesis in the basal forebrain in the Chinese hamster (*Cricetulus griseus*). *Anat. Embryol.*, 158, 193-211.

Lawrence PA (1992) *The Making of a Fly*. Blackwell, Oxford.

Le Douarin NM, Smith J (1988) Development of the peripheral nervous system: cell line segregation and chemical differentiation of neural crest cells. In: Björklund A, Hökfelt T, Owman C (Eds.), *Handbook of Chemical Neuroanatomy, Vol. 6: The Peripheral Nervous System*, pp. 1-50. Elsevier, New York.

Levi-Montalcini R (1950) The origin and development of the visceral system in the spinal cord of the chick embryo. *J. Morphol.*, 86, 253-283.

Lund RD, Bunt AH (1976) Prenatal development of central optic pathways in albino rats. *J. Comp. Neurol.*, 165, 247-264.

Malphigi M (1673) *Dissertationes epistolicae duae, una de formatione pulli in ovo*. Martyn,

London.

Marin-Padilla M (1978) Dual origin of the mammalian neocortex and evolution of the cortical plate. *Anat. Embryol.*, 152, 109-126.

Markakis E, Swanson LW (1996) The birthdates of parvicellular neuroendocrine motoneurons in the rat hypothalamus. (In preparation).

Meek A (1907) The segments of the vertebrate brain and head. *Anat. Anz.*, 31, 408-415.

Meier S, Tam PPL (1982) Metameric pattern development in the embryonic axis of the mouse. I. Differentiation of the cranial segments. *Differentiation*, 21, 95-108.

Miura R (1933) über die Differenzierung der Grundbestandteile im Zwischenhirn des Kaninchens. *Anat. Anz.*, 77, 1-65.

Morris-Kay G (1981) Growth and development of pattern in the cranial neural epithelium of rat embryos during neurulation. *J. Embryol. Exp. Morph.*, 65 (Supplement), 225-241.

Morris-Kay G, Tan S-S (1987) Mapping cranial neural crest cell migration pathways in mammalian embryos. *Trends in Genetics*, 3, 257-261.

Morris-Kay G, Tuckett F (1985) The role of microfilaments in cranial neurulation in rat embryos: effects of short-term exposure to cytochalasin D. *J. Embryol. Exp. Morph.*, 88, 333-348.

Morris-Kay G, Tuckett F (1987) Fluidity of the neural epithelium during forebrain formation in rat embryos. *J. Cell Sci, Suppl.* 8, 433-449.

Müller F, O'Rahilly R (1985) The first appearance of the neural tube and optic primordium in the human embryo at stage 10. *Anat. Embryol.*, 172, 157-169.

Nauta WJH, Karten HJ (1970) A general profile of the vertebrate brain, with sidelights on the ancestry of cerebral cortex. In: Schmitt, FO (Ed.), *The Neurosciences: Second Study Program*, pp. 7-26. Rockefeller University Press, New York.

Nieuwenhuys R (1974) Topological analysis of the brain stem: A general introduction. *J. Comp. Neurol.*, 156, 255-276.

Nieuwkoop PD (1991) The successive steps in the pattern formation of the amphibian central nervous system. *Develop. Growth & Differ.*, 33, 149-154.

Niimi K, Harada I, Kusaka J, Kishi S (1962) The ontogenetic development of the diencephalon of the mouse. *Tokushima J. Exp. Med.*, 8, 203-238.

Noden D (1991) Vertebrate craniofacial development: The relation between ontogenetic process and morphological outcome. *Brain Behav. Evol.*, 38, 190-225.

Orr HA (1887) Contributions to the embryology of the lizard. *J. Morph.*, 1, 311-372.

Palmgren A (1921) Embryological and morphological studies on the mid-brain and cerebellum of vertebrates. *Acta zool.*, 2, 1-94.

Patel NH (1994) Developmental evolution: Insights from studies of insect segmentation. *Science*, 266, 581-585.

Puelles L, Amat JA, Martinez-de-la Torre M (1987) Segment-related, mosaic neurogenetic pattern in the forebrain and mesencephalon of early chick embryos: I. Topography of AchE-positive neuroblasts up to stage HH18. *J. Comp. Neurol.*, 266, 247-268.

Raedler E, Raedler A (1978) Autoradiographic study of early neurogenesis in rat neocortex. *Anat. Embryol.*, 154, 267-284.

Rakic P (1987) Principles of neuronal migration. In: Cowan WM (Ed.), *Handbook of Physiology*. Am. Physiol. Soc., Bethesda.

Rakic P, Yakovlev PI (1968) Development of the corpus callosum and cavum septi in man. *J. Comp. Neurol.*, 132, 45-72.

Reese BE, Colello RJ (1992) Neurogenesis in the retinal ganglion cell layer of the rat. *Neuroscience*, 46, 419-429.

Rickmann M, Wolff JR (1981) Differentiation of “preplate” neurons in the pallium of the rat. *Bibliotheca Anat.*, 19, 142-146.

Rose JE (1942) The ontogenetic development of the rabbit’s diencephalon. *J. Comp. Neurol.*, 77, 61-129.

Rosenfeld MG, Crenshaw EB, Lira SA, Swanson L, Borrelli E, Heyman R, Evans RM (1988) Transgenic mice: application to the study of the nervous system. *Ann. Rev. Neurosci.*, 11, 353-372.

Ruiz y Altaba A (1992) Planar and vertical signals in the induction and patterning of the *Xenopus* nervous system. *Development*, 115, 67-80.

Sánchez MP, Frassoni C, Alvarez-Bolado G, Spreafico R, Fairén A (1992) Distribution of calbindin and parvalbumin in the developing somatosensory cortex and its primordium in the rat: An immunocytochemical study. *J. Neurocytol.*, 21, 717-736.

Sausedo RA, Schoenwolf GC (1994) Quantitative analysis of cell behaviors underlying notochord formation and extension in mouse embryos. *Anat. Rec.*, 239, 103-112.

Schlessenger AR, Cowan WM, Gottlieb DI (1975) An autoradiographic study of the time of

origin and the pattern of granule cell migration in the dentate gyrus of the rat. *J. Comp. Neurol.*, 159, 149-175.

Schlessenger AR, Cowan WM, Swanson LW (1978) The time of origin of neurons in Ammon's horn and the associated retrohippocampal fields. *Anat. Embryol.*, 154, 153-173.

Shatz CJ, Chun JJM, Luskin MB (1988) The role of the subplate in the development of mammalian telencephalon. In: Peters A, Jones EG (Eds.), *Cerebral Cortex, Vol. 7: Development and Maturation of Cerebral Cortex*, pp. 35-58. Plenum Press, New York.

Schneider BF, Norton S (1979) Equivalent ages in rat, mouse and chick embryos. *Teratology*, 19, 273-278.

Schoenwolf GC (1985) Shaping and bending of the avian neuroepithelium: Morphometric analyses. *Develop. Biol.*, 109, 127-139.

Schoenwolf GC, Franks MV (1984) Quantitative analyses of changes in cell shapes during bending of the avian neural plate. *Develop. Biol.*, 105, 257-272.

Schwind JL (1928) The development of the hypophysis cerebri of the albino rat. *Am. J. Anat.*, 41, 295-319.

Sereno MI, Dale AM, Reppas JB, Kwong KK, Belliveau JW, Brady TJ, Rosen BR, Tootell RBH (1995) Borders of multiple visual areas in human revealed by functional magnetic resonance imaging. *Science*, 268, 889-893.

Sherrington C (1906) *The Integrative Action of the Nervous System*. Yale University Press, New Haven.

Sidman RL, Angevine JB Jr, Taber Pierce E (1971) *Atlas of the Mouse Brain and Spinal Cord*. Harvard University Press, Cambridge.

Simmons DM, Swanson LW (1993) The Nissl stain. *Neurosci. Protocols*, 050-12-01-07.

Simmons DM, Voss JW, Ingraham HA, Holloway JM, Broide RS, Rosenfeld MG, Swanson LW (1990) Pituitary cell phenotypes involve cell-specific Pit-1 mRNA translation and synergistic interactions with other classes of transcription factors. *Genes Develop.*, 4, 695-711.

Slack JMW, Tannahill D (1992) Mechanism of anteroposterior axis specification in vertebrates. *Development*, 114, 285-302.

Smart IHM (1984) Histogenesis of the mesocortical area of the mouse telencephalon. *J. Anat.*, 138, 537-552.

Smart IHM, McSherry GM (1982) Growth patterns in the lateral wall of the mouse telencephalon. II. Histological changes during and subsequent to the period of isocortical neuron production. *J. Anat.*, 134, 415-442.

Snyder JP (1987) *Map Projections: A Working Manual*. U.S. Geological Survey Professional Paper 1395, Washington.

Snyder JP (1993) *Flattening the Earth: Two Thousand Years of Map Projections*. University of Chicago Press, Chicago.

Spurzheim G (1826) *The Anatomy of the Brain, with a General View of the Nervous System*. S. Highley, London (see facsimile reprint by The Classics of Neurology and Neurosurgery Library, Birmingham, 1989).

Stanfield BB, Cowan WM (1988) The development of the hippocampal system. In: Peters A, Jones EG (Eds.), *Cerebral Cortex, Vol. 7: The Development and Maturation of the Cerebral Cortex*, pp. 91-103. Plenum Press, New York.

Stanfield BB, Trice JE (1988) Evidence that granule cells generated in the dentate gyrus of adult rats extend axonal projections. *Exp. Brain Res.*, 72, 399-406.

Stensaas LJ (1967) The development of hippocampal and dorsolateral pallial regions of the cerebral hemisphere in fetal rabbits. I. Fifteen millimeter stage, spongioblast morphology. *J. Comp. Neurol.*, 129, 59-70.

Stensaas LJ (1967) The development of hippocampal and dorsolateral pallial regions of the cerebral hemisphere in fetal rabbits. II. Twenty millimeter stage, neuroblast morphology. *J. Comp. Neurol.*, 129, 71-84.

Stensaas LJ (1967) The development of hippocampal and dorsolateral pallial regions of the cerebral hemisphere in fetal rabbits. III. Twenty-nine millimeter stage, marginal lamina. *J. Comp. Neurol.*, 130, 149-162.

Stensaas LJ (1967) The development of hippocampal and dorsolateral pallial regions of the cerebral hemisphere in fetal rabbits. IV. Forty-one millimeter stage, intermediate lamina. *J. Comp. Neurol.*, 131, 409-422.

Stensaas LJ (1967) The development of hippocampal and dorsolateral pallial regions of the cerebral hemisphere in fetal rabbits. V. Sixty millimeter stage, glial cell morphology. *J. Comp. Neurol.*, 131, 423-436.

Stensaas LJ (1968) The development of hippocampal and dorsolateral pallial regions of the cerebral hemisphere in fetal rabbits. VI. Ninety millimeter stage, cortical differentiation. *J. Comp. Neurol.*, 132, 93-108.

Stöer WFH (1956) Studies on the diencephalon. I. The embryology of the diencephalon of the rat. *J. Comp. Neurol.*, 105, 1-24.

Sulik K, Dehart DB, Inagaki T, Carson JL, Vrablic T, Gesteland K, Schoenwolf GC (1994)

Morphogenesis of the murine node and notochordal plate. *Develop. Dynamics*, 201, 260-278.

Swanson LW (1987) The hypothalamus. In: Björklund A, Hökfelt T, Swanson LW (Eds.), *Handbook of Chemical Neuroanatomy, Vol. 5: Integrated Systems of the CNS, Part I*, pp. 1-124. Elsevier, New York.

Swanson LW (1992a) *Brain Maps: Structure of the Rat Brain*. Elsevier, Amsterdam.

Swanson LW (1992b) Spatiotemporal patterns of transcription factor gene expression accompanying the development and plasticity of cell phenotypes in the neuroendocrine system. *Prog. Brain Res.*, 92, 97-113.

Swanson LW (1995) Mapping the human brain: Past, present, and future. *Trends in Neurosci.*, 18, 471-474.

Swanson LW, Köhler C, Björklund A (1987) The limbic region. I: The septohippocampal system. In: Björklund A, Hökfelt T, Swanson LW (Eds.), *Handbook of Chemical Neuroanatomy, Vol. 5: Integrated Systems of the CNS, Part I*, pp. 125-277. Elsevier, New York.

Taber Pierce E (1966) Histogenesis of the nuclei griseum pontis, corporis pontobulbaris and reticularis tegmenti pontis (Bechterew) in the mouse. *J. Comp. Neurol.*, 126, 219-240.

Taber Pierce E (1967) Histogenesis of the dorsal and ventral cochlear nuclei in the mouse. An autoradiographic study. *J. Comp. Neurol.*, 131, 27-54.

Tam PPL, Meier S, Jacobson AG (1982) Differentiation of the metameric pattern in the embryonic axis of the mouse. II. Somitomic organization of the presomitic mesoderm. *Differentiation*, 21, 109-122.

Tan SS, Morriss-Kay GM (1985) The development and distribution of the cranial neural crest in the rat embryo. *Cell Tissue Res.*, 240, 403-416.

Tan SS, Morris-Kay GM (1986) Analysis of cranial neural crest cell migration and early fates in postimplantation rat chimeras. *J. Embryol. exp. Morph.*, 98, 21-58.

Tandler J, Kantor H (1907) Beiträge zur Entwicklung des Vertebratengehirns. I. Die Entwicklungsgeschichte des Geckohirnes. *Anat. Hefte*, 33, 553-662.

ten Donkelaar HJ, Dederen PJW (1979) Neurogenesis in the basal forebrain of the Chinese hamster (*Cricetulus griseus*). *Anat. Embryol.*, 156, 331-348.

ten Donkelaar HJ, Lammers GJ, Gribnau AAM (1979) Neurogenesis in the amygdaloid nuclear complex in a rodent (the Chinese hamster). *Brain Res.*, 165, 348-353.

Theiler K (1972) *The House Mouse. Atlas of Embryonic Development*. Springer-Verlag, New York.

Trainor PA, Tan S-S, Tam PPL (1994) Cranial paraxial mesoderm: regionalisation of cell fate and impact on craniofacial development in mouse embryos. *Development*, 120, 2397-2408.

Tsang YC (1940) Supra- and post-optic commissures in the brain of the rat. *J. Comp. Neurol.*, 72, 535-567.

Tuckett F, Morriss-Kay GM (1985) The kinetic behavior of the cranial neural epithelium during neurulation in the rat. *J. Embryol. exp. Morph.*, 85, 111-119.

Tuckett F, Lim L, Morriss-Kay GM (1987) The ontogenesis of cranial neuromeres in the rat embryo. I. A scanning electron microscope and kinetic study. *J. Embryol. exp. Morph.*, 87, 215-228.

Tuckett F, Morriss-Kay GM (1985) The ontogenesis of cranial neuromeres in the rat embryo. II. A transmission electron microscopic study. *J. Embryol. exp. Morph.*, 88, 231-247.

Valentino KL, Jones EG (1982) The early formation of the corpus callosum: light and electron microscopic study in foetal and neonatal rats. *J. Neurocytol.*, 11, 583-609.

Valverde F, Facal-Valverde MV, Santacana M, Heredia M (1989) Development and differentiation of early generated cells of sublayer VIb in the somatosensory cortex of the rat: A correlated Golgi and autoradiographic study. *J. Comp. Neurol.*, 290, 118-140.

Van Eden CG, Mrzljak L, Voorn P, Uylings HBM (1989) Prenatal development of GABAergic neurons in the neocortex of the rat. *J. Comp. Neurol.*, 289, 213-227.

Verwoerd CDA, Ostrom CG van (1979) Cephalic neural crest and placodes. *Adv. Anat. Embryol. Cell Biol.*, 58, 1-71.

Vesalius A (1543) *De humani corporis fabrica libri septem*. Oropinus, Basel.

Wahlsten D (1981) Prenatal schedule of appearance of mouse brain commissures. *Dev. Brain Res.*, 1, 461-473.

Warren J (1917) The development of the paraphysis and pineal region in mammalia. *J. Comp. Neurol.*, 28, 75-136.

Wislocki GB, Leduc EH (1954) The cytology of the subcommissural organ, Reissner's fiber, periventricular glial cells and posterior collicular recess of the rat's brain. *J. Comp. Neurol.*, 101, 283-310.